

## Chevron Product Weights



Product	API	Specific Gravity @15.6C	Density (g/ml) @15.6C	lbs/gal	lbs/liter	kg/liter
1000 THF	29.9	0.8767	0.8759	7.31	1.93	0.88
Aries® 100	31.5	0.8681	0.8673	7.24	1.91	0.87
Aries® 150	29.8	0.8772	0.8764	7.31	1.93	0.88
Aries® 220	28.8	0.8827	0.8819	7.36	1.94	0.88
Aries® 32	25.2	0.9030	0.9022	7.53	1.99	0.90
Aries® 320	26.7	0.8944	0.8936	7.46	1.97	0.89
Aries® 46	32.2	0.8644	0.8636	7.21	1.90	0.86
ATF HD 389	33.8	0.8560	0.8552	7.14	1.89	0.86
ATF MD-3	33.4	0.8581	0.8573	7.15	1.89	0.86
Bright-Cut® Metalworking Fluid AH	30.5	0.8735	0.8727	7.28	1.92	0.87
Bright-Cut® Metalworking Fluid AM	31.5	0.8681	0.8673	7.24	1.91	0.87
Bright-Cut® Metalworking Fluid NHG	39.4	0.8280	0.8272	6.90	1.82	0.83
Bright-Cut® Metalworking Fluid NM	31.0	0.8708	0.8700	7.26	1.92	0.87
Canopus® 13	34.0	0.8550	0.8542	7.13	1.88	0.85
Canopus® 68	31.3	0.8692	0.8684	7.25	1.91	0.87
Capella® P 68	29.5	0.8789	0.8781	7.33	1.94	0.88
Capella® WF 32	23.9	0.9106	0.9097	7.59	2.01	0.91
Capella® WF 68	23.0	0.9159	0.9150	7.64	2.02	0.92
Cetus® DE 100	15.9	0.9600	0.9591	8.00	2.11	0.96
Cetus® DE 150	17.5	0.9497	0.9488	7.92	2.09	0.95
Cetus® DE 32	23.1	0.9153	0.9144	7.63	2.02	0.91
Cetus® DE 68	16.7	0.9548	0.9539	7.96	2.10	0.95
Cetus EliteSyn™ NG 68	16.7	0.9548	0.9539	7.96	2.10	0.95
Cetus EliteSyn™ NG 100	4.4	1.0410	1.0400	8.68	2.29	1.04
Cetus EliteSyn™ NG 150	3.1	1.0510	1.0500	8.76	2.31	1.05
Cetus® HiPerSYN® Oil 100	34.5	0.8524	0.8516	7.11	1.88	0.85
Cetus® HiPerSYN® Oil 150	33.9	0.8555	0.8547	7.13	1.88	0.85
Cetus® HiPerSYN® Oil 220	34.3	0.8534	0.8527	7.12	1.88	0.85
Cetus® HiPerSYN® Oil 32	36.2	0.8438	0.8430	7.04	1.86	0.84
Cetus® HiPerSYN® Oil 320	32.6	0.8623	0.8615	7.19	1.90	0.86
Cetus® HiPerSYN® Oil 46	35.5	0.8473	0.8465	7.06	1.87	0.85
Cetus® HiPerSYN® Oil 460	32.0	0.8654	0.8647	7.22	1.91	0.86
Cetus® HiPerSYN® Oil 68	35.1	0.8493	0.8486	7.08	1.87	0.85
Cetus® PAO 100	35.4	0.8478	0.8470	7.07	1.87	0.85
Cetus® PAO 150	34.6	0.8519	0.8511	7.10	1.88	0.85
Cetus® PAO 32	30.6	0.8729	0.8721	7.28	1.92	0.87

Cetus® PAO 46	36.6	0.8418	0.8410	7.02	1.85	0.84
Cetus® PAO 68	36.0	0.8448	0.8440	7.04	1.86	0.84
Cetus® PAO HC	36.7	0.8413	0.8405	7.01	1.85	0.84
Clarity® Hydraulic Oil AW 100	31.8	0.8665	0.8657	7.22	1.91	0.87
Clarity® Hydraulic Oil AW 32	32.8	0.8612	0.8604	7.18	1.90	0.86
Clarity® Hydraulic Oil AW 46	31.9	0.8660	0.8652	7.22	1.91	0.87
Clarity® Hydraulic Oil AW 68	31.8	0.8665	0.8657	7.22	1.91	0.87
Clarity® Machine Oil 150	29.3	0.8800	0.8792	7.34	1.94	0.88
Clarity® Machine Oil 220	27.7	0.8888	0.8880	7.41	1.96	0.89
Clarity® Machine Oil 320	26.1	0.8978	0.8970	7.49	1.98	0.90
Clarity® Machine Oil 460	26.3	0.8967	0.8959	7.48	1.98	0.90
Clarity® Saw Guide Oil 100	30.7	0.8724	0.8716	7.27	1.92	0.87
Clarity® Saw Guide Oil 150	29.8	0.8772	0.8764	7.31	1.93	0.88
Clarity® Saw Guide Oil 46	32.0	0.8654	0.8647	7.22	1.91	0.86
Clarity® Synthetic EA Gear Oil 100	36.8	0.8408	0.8400	7.01	1.85	0.84
Clarity® Synthetic EA Gear Oil 150	36.8	0.8408	0.8400	7.01	1.85	0.84
Clarity® Synthetic EA Hydraulic Oil 100	33.0	0.8602	0.8594	7.17	1.89	0.86
Clarity® Synthetic EA Hydraulic Oil 46	34.2	0.8540	0.8532	7.12	1.88	0.85
Clarity® Synthetic EA Hydraulic Oil 68	33.8	0.8560	0.8552	7.14	1.89	0.86
Clarity® Synthetic Hydraulic Oil AW 32	37.1	0.8393	0.8385	7.00	1.85	0.84
Clarity® Synthetic Hydraulic Oil AW 46	36.0	0.8448	0.8440	7.04	1.86	0.84
Clarity® Synthetic Hydraulic Oil AW 68	35.9	0.8453	0.8445	7.05	1.86	0.84
Clarity® Synthetic Machine Oil 150	36.9	0.8403	0.8395	7.01	1.85	0.84
Clarity® Synthetic Machine Oil 220	36.4	0.8428	0.8420	7.03	1.86	0.84
Clarity® Synthetic Machine Oil 320	35.9	0.8453	0.8445	7.05	1.86	0.84
Clarity® Synthetic Machine Oil 460	35.3	0.8483	0.8475	7.07	1.87	0.85
Compressor Oil 260	27.6	0.8894	0.8886	7.42	1.96	0.89
Cylinder Oil W 220	26.8	0.8939	0.8931	7.45	1.97	0.89
Cylinder Oil W 460	26.1	0.8978	0.8970	7.49	1.98	0.90
Cylinder Oil W 680	24.8	0.9053	0.9045	7.55	1.99	0.90
Delo® 100 Motor Oil SAE 40	27.7	0.8888	0.8880	7.41	1.96	0.89
Delo® 1000 Marine SAE 30	27.3	0.8908	0.8900	7.43	1.96	0.89
Delo® 1000 Marine SAE 40	27.3	0.8908	0.8900	7.43	1.96	0.89
Delo® 400 10W	31.0	0.8708	0.8700	7.26	1.92	0.87
Delo® 400 20	30.1	0.8755	0.8747	7.30	1.93	0.87
Delo® 400 30	28.8	0.8827	0.8819	7.36	1.94	0.88

Delo® 400 40	28.0	0.8871	0.8863	7.40	1.95	0.89
Delo® 400 50	26.7	0.8942	0.8934	7.46	1.97	0.89
Delo® 400 NG 15W-40	29.9	0.8768	0.8760	7.31	1.93	0.88
Delo® 400 SDE SAE 10W-30	30.8	0.8718	0.8710	7.27	1.92	0.87
Delo® 400 SDE SAE 15W-40	29.7	0.8778	0.8770	7.32	1.93	0.88
Delo® 400 SNG SAE 15W-40	31.0	0.8708	0.8700	7.26	1.92	0.87
Delo® 400 SP SAE 0W-30 (Synthetic)	36.8	0.8408	0.8400	7.01	1.85	0.84
Delo® 400 XLE SAE 10W-30 (Synblend)	31.4	0.8688	0.8680	7.24	1.91	0.87
Delo® 400 XLE SAE 15W-40 (Synblend)	30.4	0.8738	0.8730	7.29	1.92	0.87
Delo® 400 XSP SAE 5W-30 (Synthetic)	34.8	0.8508	0.8500	7.09	1.87	0.85
Delo® 400 XSP SAE 5W-40 (Synthetic)	34.4	0.8528	0.8520	7.11	1.88	0.85
Delo® 400 XSP-FA SAE 5W-30	32.9	0.8608	0.8600	7.18	1.90	0.86
Delo® 400 ZFA SAE 10W-30 (Synblend)	29.9	0.8768	0.8760	7.31	1.93	0.88
Delo® 400 ADF SAE 10W-30	32.5	0.8628	0.8620	7.19	1.90	0.86
Delo® 400 ADF SAE 15W-40	31.4	0.8688	0.8680	7.24	1.91	0.87
Delo® 710 LS SAE 20W-40	30.1	0.8758	0.8750	7.30	1.93	0.88
Delo® 710 LS SAE 40	29.7	0.8778	0.8770	7.32	1.93	0.88
Delo® Gear EP-5 SAE 80W-90	28.1	0.8864	0.8856	7.39	1.95	0.89
Delo® Gear EP-5 SAE 85W-140	25.7	0.8999	0.8991	7.50	1.98	0.90
Delo® Gear ESI® SAE 80W-90	27.7	0.8890	0.8882	7.41	1.96	0.89
Delo® Gear ESI® SAE 85W-140	25.4	0.9021	0.9013	7.52	1.99	0.90
Delo® Gear Extreme EP-5 SAE 75W-140	28.2	0.8858	0.8850	7.39	1.95	0.89
Delo® Gear LS SAE 80W-90	27.5	0.8898	0.8890	7.42	1.96	0.89
Delo® Syn ATF HD	35.2	0.8488	0.8481	7.08	1.87	0.85
Delo® Syn-AMT XDT SAE 75W-90	35.0	0.8498	0.8490	7.09	1.87	0.85
Delo® Syn-Gear HD SAE 75W-90	31.6	0.8678	0.8670	7.24	1.91	0.87
Delo® Syn-Gear XDA SAE 75W-85	31.4	0.8688	0.8680	7.24	1.91	0.87
Delo® Syn-Gear XDM SAE 75W- 90	31.9	0.8658	0.8650	7.22	1.91	0.87
Delo® Syn-Gear XDM SAE 80W- 140	29.7	0.8778	0.8770	7.32	1.93	0.88
Delo® Syn-Trans HD SAE 50	32.5	0.8628	0.8620	7.19	1.90	0.86
Delo® Syn-Trans XE SAE 75W-90	34.9	0.8504	0.8496	7.09	1.87	0.85
Delo® Syn-Trans XV SAE 75W-80	35.6	0.8468	0.8460	7.06	1.87	0.85
Delo® TorqForce 10W	30.0	0.8762	0.8754	7.31	1.93	0.88
Delo® TorqForce 30	28.7	0.8833	0.8825	7.36	1.95	0.88
Delo® TorqForce 50	26.5	0.8956	0.8948	7.47	1.97	0.89
Delo® TorqForce 60	25.0	0.9042	0.9033	7.54	1.99	0.90
Delo® TorqForce FD SAE 60	25.6	0.9008	0.9000	7.51	1.98	0.90
Delo® TorqForce MP	30.8	0.8718	0.8710	7.27	1.92	0.87

Delo® TorqForce Syn SAE 5W-20	35.2	0.8488	0.8481	7.08	1.87	0.85
Form Oil 22	26.8	0.8939	0.8931	7.45	1.97	0.89
Gear Oil GL-1 SAE 140	26.4	0.8964	0.8956	7.47	1.97	0.90
Gear Oil GL-1 SAE 90	26.1	0.8976	0.8968	7.48	1.98	0.90
Glass Machine Oil MV	29.8	0.8772	0.8764	7.31	1.93	0.88
GST® 2190 EP	32.3	0.8639	0.8631	7.20	1.90	0.86
GST® 2300 32	32.7	0.8618	0.8610	7.19	1.90	0.86
GST® 2300 46	32.0	0.8654	0.8647	7.22	1.91	0.86
GST® Oil 100	31.4	0.8686	0.8678	7.24	1.91	0.87
GST® Oil 32	32.7	0.8618	0.8610	7.19	1.90	0.86
GST® Oil 46	32.0	0.8654	0.8647	7.22	1.91	0.86
GST® Oil 68	31.7	0.8670	0.8662	7.23	1.91	0.87
GST® Premium 32	32.5	0.8628	0.8620	7.19	1.90	0.86
GST® Premium XL 32	32.5	0.8628	0.8620	7.19	1.90	0.86
GST® Premium XL 46	33.0	0.8602	0.8594	7.17	1.89	0.86
Havoline® 2-Cycle Engine Oil TC-W3®	31.0	0.8708	0.8700	7.26	1.92	0.87
Havoline® ATF+4® Automatic Transmission Fluid	35.4	0.8478	0.8470	7.07	1.87	0.85
Havoline® Automatic Transmission Fluid MD-3	33.4	0.8581	0.8573	7.15	1.89	0.86
Havoline® Automatic Transmission Fluid Type F	32.8	0.8612	0.8604	7.18	1.90	0.86
Havoline® Full Synthetic CVT Fluid	35.0	0.8498	0.8490	7.09	1.87	0.85
Havoline® Full Synthetic Multi-Vehicle ATF	35.2	0.8488	0.8481	7.08	1.87	0.85
Havoline® Gear Oil SAE 80W-90	26.3	0.8968	0.8960	7.48	1.98	0.90
Havoline® Gear Oil SAE 85W-140	24.2	0.9088	0.9080	7.58	2.00	0.91
Havoline® Global Multi-Vehicle ATF	33.0	0.8602	0.8594	7.17	1.89	0.86
Havoline® High Mileage Synthetic Technology Motor Oil SAE 0W-20	35.7	0.8463	0.8455	7.06	1.86	0.85
Havoline® High Mileage Synthetic Technology Motor Oil SAE 5W-20	32.6	0.8621	0.8613	7.19	1.90	0.86
Havoline® High Mileage Synthetic Technology Motor Oil SAE 5W-30	32.9	0.8605	0.8597	7.17	1.90	0.86
Havoline® High Mileage Synthetic Technology Motor Oil SAE 10W-30	30.6	0.8728	0.8720	7.28	1.92	0.87
Havoline® LS Gear Lubricant SAE 80W-90	27.5	0.8898	0.8890	7.42	1.96	0.89
Havoline® Motor Oil SAE 10W-30	30.4	0.8738	0.8730	7.29	1.92	0.87

Havoline® Motor Oil SAE 10W-40	30.4	0.8738	0.8730	7.29	1.92	0.87
Havoline® Motor Oil SAE 20W-50	29.1	0.8808	0.8800	7.34	1.94	0.88
Havoline® Motor Oil SAE 30	29.1	0.8808	0.8800	7.34	1.94	0.88
Havoline® Motor Oil 5W-20	32.7	0.8618	0.8610	7.19	1.90	0.86
Havoline® Motor Oil 5W-30	32.9	0.8608	0.8600	7.18	1.90	0.86
Havoline® Power Steering Fluid	31.2	0.8697	0.8689	7.25	1.92	0.87
Havoline® ProDS™ Full Synthetic Euro Motor Oil 5W-40	35.1	0.8493	0.8486	7.08	1.87	0.85
Havoline® ProDS™ Full Synthetic Motor Oil 0W-16	35.9	0.8455	0.8447	7.05	1.86	0.84
Havoline® ProDS™ Full Synthetic Motor Oil 0W-20	34.8	0.8508	0.8500	7.09	1.87	0.85
Havoline® ProDS™ Full Synthetic Motor Oil 10W-30	34.8	0.8508	0.8500	7.09	1.87	0.85
Havoline® ProDS™ Full Synthetic Motor Oil 5W-20	34.8	0.8508	0.8500	7.09	1.87	0.85
Havoline® ProDS™ Full Synthetic Motor Oil 5W-30	34.8	0.8508	0.8500	7.09	1.87	0.85
Havoline® ProDS™ Full Synthetic Motor Oil 5W-40	34.3	0.8534	0.8527	7.12	1.88	0.85
Havoline® ProDS™ High Mileage Full Synthetic Motor Oil SAE 0W-20	35.7	0.8463	0.8455	7.06	1.86	0.85
Havoline® ProDS™ High Mileage Full Synthetic Motor Oil SAE 5W-20	35.1	0.8496	0.8488	7.08	1.87	0.85
Havoline® ProDS™ High Mileage Full Synthetic Motor Oil SAE 5W-30	35.0	0.8499	0.8491	7.09	1.87	0.85
Havoline® Synthetic Blend Motor Oil 5W-20	33.2	0.8591	0.8584	7.16	1.89	0.86
Havoline® Synthetic Blend Motor Oil 5W-30	34.1	0.8545	0.8537	7.12	1.88	0.85
Havoline® Synthetic Technology Motor Oil SAE 0W-20	36.1	0.8445	0.8437	7.04	1.86	0.84
Havoline® Synthetic Technology Motor Oil SAE 5W-30	33.2	0.8593	0.8585	7.16	1.89	0.86
HDAX® 3100 Ashless Gas Engine Oil 15W-40	29.0	0.8814	0.8806	7.35	1.94	0.88
HDAX® 3100 Ashless Gas Engine Oil SAE 40	29.8	0.8770	0.8762	7.31	1.93	0.88
HDAX® 3200 Low Ash Gas Engine Oil SAE 30	29.6	0.8781	0.8773	7.32	1.93	0.88
HDAX® 3200 Low Ash Gas Engine Oil SAE 40	29.3	0.8802	0.8794	7.34	1.94	0.88
HDAX® 5100 Ashless Gas Engine Oil SAE 15W-40	30.1	0.8754	0.8746	7.30	1.93	0.87

HDAX® 5100 Ashless Gas Engine Oil SAE 30	29.6	0.8781	0.8773	7.32	1.93	0.88
HDAX® 5100 Ashless Gas Engine Oil SAE 40	29.3	0.8798	0.8790	7.34	1.94	0.88
HDAX® 5200 Low Ash Gas Engine Oil SAE 15W-40	30.0	0.8760	0.8752	7.30	1.93	0.88
HDAX® 5200 Low Ash Gas Engine Oil SAE 30	29.6	0.8781	0.8773	7.32	1.93	0.88
HDAX® 5200 Low Ash Gas Engine Oil SAE 40	29.3	0.8798	0.8790	7.34	1.94	0.88
HDAX® 5200 EF SAE 40	29.1	0.8808	0.8800	7.34	1.94	0.88
HDAX® 5300 Medium Ash Gas Engine Oil SAE 40	28.9	0.8819	0.8811	7.35	1.94	0.88
HDAX® 6500 LFG Gas Engine Oil SAE 40	30.1	0.8758	0.8750	7.30	1.93	0.88
HDAX® 7200 Low Ash Gas Engine Oil 40	29.0	0.8818	0.8810	7.35	1.94	0.88
HDAX® 9200 Low Ash Gas Engine Oil 40	29.0	0.8818	0.8810	7.35	1.94	0.88
HDAX® 9700 SAE 40	30.6	0.8729	0.8721	7.28	1.92	0.87
HDAX® NG Screw Compressor Oil 150	29.3	0.8800	0.8792	7.34	1.94	0.88
HDAX® NG Screw Compressor Oil 68	30.1	0.8756	0.8748	7.30	1.93	0.87
Heat Transfer Oil 22	33.8	0.8560	0.8552	7.14	1.89	0.86
Heat Transfer Oil 46	32.0	0.8654	0.8647	7.22	1.91	0.86
Hydraulic Oil 5606A	29.7	0.8778	0.8770	7.32	1.93	0.88
Hydraulic Oil AW 32	32.6	0.8623	0.8615	7.19	1.90	0.86
Hydraulic Oil AW 46	31.8	0.8665	0.8657	7.22	1.91	0.87
Hydraulic Oil AW 68	31.6	0.8676	0.8668	7.23	1.91	0.87
Hydraulic Oil AW-M 68	28.6	0.8836	0.8828	7.37	1.95	0.88
Journaltex® HD 57	31.0	0.8708	0.8700	7.26	1.92	0.87
Marine Engine Oil Symbol 9250 SAE 40	28.4	0.8849	0.8841	7.38	1.95	0.88
Meropa® 100	30.6	0.8729	0.8721	7.28	1.92	0.87
Meropa® 1000	25.9	0.8990	0.8982	7.50	1.98	0.90
Meropa® 150	29.7	0.8778	0.8770	7.32	1.93	0.88
Meropa® 1500	25.7	0.9001	0.8993	7.51	1.98	0.90
Meropa® 220	28.4	0.8849	0.8841	7.38	1.95	0.88
Meropa® 320	27.3	0.8911	0.8902	7.43	1.96	0.89
Meropa® 460	26.3	0.8967	0.8959	7.48	1.98	0.90
Meropa® 68	31.0	0.8708	0.8700	7.26	1.92	0.87
Meropa® 680	26.0	0.8984	0.8976	7.49	1.98	0.90
Meropa® EliteSyn XM 150	34.4	0.8529	0.8521	7.11	1.88	0.85
Meropa® EliteSyn XM 220	33.8	0.8560	0.8552	7.14	1.89	0.86
Meropa® EliteSyn XM 320	33.2	0.8591	0.8584	7.16	1.89	0.86
Meropa® EliteSyn XM 460	32.7	0.8618	0.8610	7.19	1.90	0.86
Meropa® EliteSyn XM 680	32.1	0.8649	0.8641	7.21	1.91	0.86

Meropa® EliteSyn WL 680	32.0	0.8655	0.8647	7.22	1.91	0.86
Meropa® Synthetic WM 320	33.7	0.8568	0.8560	7.14	1.89	0.86
Meropa® XL 68	31.0	0.8708	0.8700	7.26	1.92	0.87
Meropa® XL 150	33.6	0.8571	0.8563	7.15	1.89	0.86
Meropa® XL 220	31.6	0.8676	0.8668	7.23	1.91	0.87
Meropa® XL 320	29.5	0.8789	0.8781	7.33	1.94	0.88
Meropa® XL 460	29.3	0.8800	0.8792	7.34	1.94	0.88
Meropa® XL 680	29.1	0.8808	0.8800	7.34	1.94	0.88
Paper Machine Oil Premium 150	29.5	0.8789	0.8781	7.33	1.94	0.88
Paper Machine Oil Premium 220	28.4	0.8849	0.8841	7.38	1.95	0.88
Paper Machine Oil Premium 320	27.3	0.8911	0.8902	7.43	1.96	0.89
Rando® HD 10	27.7	0.8888	0.8880	7.41	1.96	0.89
Rando® HD 100	30.1	0.8756	0.8748	7.30	1.93	0.87
Rando® HD 150	29.7	0.8778	0.8770	7.32	1.93	0.88
Rando® HD 22	33.7	0.8565	0.8558	7.14	1.89	0.86
Rando® HD 220	28.5	0.8844	0.8836	7.37	1.95	0.88
Rando® HD 32	32.6	0.8623	0.8615	7.19	1.90	0.86
Rando® HD 320	33.0	0.8602	0.8594	7.17	1.89	0.86
Rando® HD 46	31.8	0.8665	0.8657	7.22	1.91	0.87
Rando® HD 68	31.6	0.8676	0.8668	7.23	1.91	0.87
Rando® HD Premium Oil MV	31.6	0.8676	0.8668	7.23	1.91	0.87
Rando® HDZ 100	30.9	0.8713	0.8705	7.26	1.92	0.87
Rando® HDZ 15	27.4	0.8905	0.8897	7.42	1.96	0.89
Rando® HDZ 22	31.7	0.8670	0.8662	7.23	1.91	0.87
Rando® HDZ 32	33.1	0.8597	0.8589	7.17	1.89	0.86
Rando® HDZ 46	32.2	0.8644	0.8636	7.21	1.90	0.86
Rando® HDZ 68	31.1	0.8702	0.8694	7.26	1.92	0.87
Rando® WM 32	27.4	0.8905	0.8897	7.42	1.96	0.89
Red Chain Bar Oil 100	27.9	0.8877	0.8869	7.40	1.96	0.89
Red Chain Bar Oil 150	25.5	0.9013	0.9004	7.51	1.99	0.90
Red Chain Bar Oil 220	24.9	0.9047	0.9039	7.54	1.99	0.90
Red Chain Bar Oil 68	27.7	0.8888	0.8880	7.41	1.96	0.89
Regal® R&O 100	30.7	0.8724	0.8716	7.27	1.92	0.87
Regal® R&O 115	30.5	0.8735	0.8727	7.28	1.92	0.87
Regal® R&O 150	29.8	0.8772	0.8764	7.31	1.93	0.88
Regal® R&O 22	34.2	0.8540	0.8532	7.12	1.88	0.85
Regal® R&O 220	28.5	0.8844	0.8836	7.37	1.95	0.88
Regal® R&O 32	32.9	0.8607	0.8599	7.18	1.90	0.86
Regal® R&O 320	27.5	0.8899	0.8891	7.42	1.96	0.89
Regal® R&O 46	31.7	0.8670	0.8662	7.23	1.91	0.87
Regal® R&O 460	26.4	0.8961	0.8953	7.47	1.97	0.90
Regal® R&O 68	31.2	0.8697	0.8689	7.25	1.92	0.87
Regal® R&O 680	26.3	0.8967	0.8959	7.48	1.98	0.90
Regal® SGT 22	10.6	0.9959	0.9950	8.30	2.19	1.00
Shingle Oil	23.4	0.9135	0.9127	7.62	2.01	0.91



Soluble Oil B	21.6	0.9242	0.9234	7.71	2.04	0.92
Supreme Motor Oil SAE 10W-30	30.5	0.8735	0.8727	7.28	1.92	0.87
Supreme Motor Oil SAE 10W-40	30.4	0.8740	0.8732	7.29	1.93	0.87
Supreme Motor Oil SAE 20W-50	29.0	0.8816	0.8808	7.35	1.94	0.88
Supreme Motor Oil SAE 30	29.3	0.8800	0.8792	7.34	1.94	0.88
Supreme Motor Oil SAE 40	28.8	0.8827	0.8819	7.36	1.94	0.88
Supreme Synthetic Blend Motor Oil SAE 5W-20	32.4	0.8633	0.8625	7.20	1.90	0.86
Supreme Synthetic Blend Motor Oil SAE 5W-30	32.6	0.8623	0.8615	7.19	1.90	0.86
Synthetic All-Weather THF	34.5	0.8524	0.8516	7.11	1.88	0.85
Taro® 20 DP SAE 30(X)	25.7	0.9001	0.8993	7.51	1.98	0.90
Taro® 20 DP SAE 40(X)	25.7	0.9001	0.8993	7.51	1.98	0.90
Taro® 30 DP SAE 30(X)	25.7	0.9001	0.8993	7.51	1.98	0.90
Taro® 30 DP SAE 40(X)	25.7	0.9001	0.8993	7.51	1.98	0.90
Taro® 40 XL SAE 40(X)	25.7	0.9001	0.8993	7.51	1.98	0.90
Taro® 50 XL SAE 40(X)	24.6	0.9065	0.9056	7.56	2.00	0.91
Taro® Special HT 55 SAE 50	22.3	0.9200	0.9192	7.67	2.03	0.92
Taro® Special HT 70 SAE 50	20.7	0.9297	0.9288	7.75	2.05	0.93
Taro® Special HT LS 40 SAE 50	22.3	0.9200	0.9192	7.67	2.03	0.92
Tegra® Synthetic Barrier Fluid	40.9	0.8208	0.8200	6.84	1.81	0.82
Tractor Fluid	30.1	0.8758	0.8750	7.30	1.93	0.88
Turbine Oil Symbol 2190 TEP	31.9	0.8660	0.8652	7.22	1.91	0.87
Ursa® Hydraulic Oil 10W	31.2	0.8697	0.8689	7.25	1.92	0.87
Ursa® Super Plus SAE 30	29.4	0.8794	0.8786	7.33	1.94	0.88
Ursa® Super Plus SAE 40	28.7	0.8833	0.8825	7.36	1.95	0.88
Ursa® Super Plus EC SAE 10W-30	30.9	0.8714	0.8706	7.27	1.92	0.87
Ursa® Super Plus EC SAE 15W-40	29.5	0.8787	0.8779	7.33	1.94	0.88
Vartech Industrial System Cleaner	29.2	0.8805	0.8797	7.34	1.94	0.88
Veritas® 800 Marine Oil SAE 30	27.3	0.8908	0.8900	7.43	1.96	0.89
Way Lubricant 220	28.5	0.8844	0.8836	7.37	1.95	0.88
Way Lubricant 32	32.9	0.8607	0.8599	7.18	1.90	0.86
Way Lubricant 68	31.0	0.8708	0.8700	7.26	1.92	0.87
Way Oil Vistac® 220	25.7	0.9001	0.8993	7.51	1.98	0.90
Way Oil Vistac® 68	25.4	0.9018	0.9010	7.52	1.99	0.90

### Greases that have been tested\*

Product	API	Specific Gravity @15.6C	Density (g/ml) @15.6C	lbs/gal	lbs/liter	kg/liter
Black Pearl® Grease EP 2	13.0	0.9789	0.9780	8.16	2.16	0.98
Coupling Grease	28.4	0.8848	0.8840	7.38	1.95	0.88
Delo® Grease EP 00	42.2	0.8147	0.8140	6.79	1.79	0.81
Delo® Grease EP 0	28.4	0.8848	0.8840	7.38	1.95	0.88
Delo® Grease EP 1	27.7	0.8888	0.8880	7.41	1.96	0.89



Delo® Grease EP 2	15.9	0.9599	0.9590	8.00	2.11	0.96
Delo® Grease ESI HD EP 2	40.9	0.8207	0.8200	6.84	1.81	0.82
Delo® Syn-Grease SFE EP	19.4	0.9378	0.9370	7.82	2.07	0.94
Moly Grease EP 1	29.0	0.8818	0.8810	7.35	1.94	0.88
Moly Grease EP 2	32.3	0.8638	0.8630	7.20	1.90	0.86
Multifak EP 1	30.1	0.8758	0.8750	7.30	1.93	0.88
Multifak EP 2	40.1	0.8248	0.8240	6.88	1.82	0.82
Chevron SRI Grease 2	32.9	0.8608	0.8600	7.18	1.90	0.86
Ulti-Plex® Grease EP 1	16.7	0.9549	0.9540	7.96	2.10	0.95
Ulti-Plex® Grease EP 2	25.4	0.9018	0.9010	7.52	1.99	0.90
Ultra-Duty HD Grease EP 0	25.9	0.8988	0.8980	7.49	1.98	0.90
Ultra-Duty HD Grease EP 1	35.8	0.8458	0.8450	7.05	1.86	0.85
Ultra-Duty HD Grease EP 2	20.7	0.9298	0.9290	7.75	2.05	0.93

\* 7.36 lb/gal is the average and usually, that is all that is able to be provided. (see below for more information)

Product	API	Specific Gravity @15.6C	Density (g/ml) @15.6C	lbs/gal	lbs/liter	kg/liter
Typical Grease Results	28.7	0.8833	0.8825	7.36	1.95	0.88